

شماره	مدل	تصویر	خصوصیات	قیمت
1	HW-AD125HBS SONY		FIXED 2MP AHD IR BULLET CAMERA 1/2.9" Sony sensor 2MP resolution (1920*1080), 25fps 3.6 mm lens, 0 lux IR on Max IR distance: 25 meters OSD Menu, DWDR, D&N, 2DDNR DC12V, IP66	296,000
2	HW-AD130HBS SONY		FIXED 2MP AHD IR BULLET CAMERA 1/2.9" Sony sensor 2MP resolution (1920*1080), 25fps 3.6 mm lens, 0 lux IR on Max IR distance: 20 meters OSD Menu, DWDR, D&N, 2DDNR DC12V, IP66	275,000
3	HW-AD130MBS SONY		FIXED 2MP AHD IR Bullet CAMERA 1/2.9" Sony sensor 2MP resolution (1920*1080), 25fps 3.6 mm lens, 0 lux IR on Max IR distance: 20 meters OSD Menu, DWDR, D&N, 2DDNR DC12V, IP66	296,000
4	HW-AD120HDS SONY		FIXED 2MP AHD IR DOME CAMERA 1/2.9" Sony sensor 2MP resolution (1920*1080), 25fps 3.6 mm lens, 0 lux IR on Max IR distance: 20 meters OSD Menu, DWDR, D&N, 2DDNR DC12V, IP66	295,000
5	HW-AD120FDS SONY		FIXED 2MP AHD IR DOME CAMERA 1/2.9" Sony sensor 2MP resolution (1920*1080), 25fps 3.6 mm lens, 0 lux IR on Max IR distance: 20 meters OSD Menu, DWDR, D&N, 2DDNR DC12V, IP66	280,000
6	HW-340HVB		2MP AHD XVI ARRAY BULLET CAMERA 1/2.7" 2MP XVI CMOS Image Sensor 2.8~12 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 40 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66	535,000
7	HW-340HFA		2MP AHD XVI ARRAY BULLET CAMERA 1/2.7" 2MP XVI CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 40 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66	392,000

شماره	مدل	تصویر	خصوصیات	قیمت
8	HW-320HFA		2MP AHD XVI ARRAY BULLET CAMERA 1/2.7" 2MP XVI CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 30 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66	297,000
9	HW-330HFA		2MP AHD XVI ARRAY BULLET CAMERA 1/2.7" 2MP XVI CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 30 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66	300,000
10	HW-340HVD		2MP AHD XVI ARRAY DOME CAMERA 1/2.7" 2MP XVI CMOS Image Sensor 2.8~12 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 40 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66	433,000
11	HW-330HFD		2MP AHD XVI DOME CAMERA 1/2.7" 2MP XVI CMOS Image Sensor 3.6 mm lens (3MP), 0 lux IR on Max ARRAY IR distance: 30 meters OSD menu, D&N, DWDR, 2DDNR, AGC, BLC, HLC, UTC(Control Over Coax) DC12V, IP66	292,000
12	HW-4004HVR		4 CHANNEL 4MP - 1080P HVR (6 IN 1) Support up to 4 channel video input Support AHD/HDTVI/HDCVI/XVI/IP/analog camera Support 4MP (8fps), 3MP (10fps), 1080P (15fps), 1080N, 720P (25fps) Recording IP camera support in NVR mode H.264+ /H.264 encoding compression 4 CH sync real time playback HDMI (2K), VGA (1920*1080) Support 1 SATA (8TB) & 2*USB 2.0 Support 4/1 Audio I/O, two way talk RS-485, 3G, wifi dongle , RJ45 (100M) Network monitoring by web viewer, VMS,Hi-view, P2P	585,000
13	HW-4008HVR		8 CHANNEL 4MP - 1080P HVR(6 IN 1) Support up to 8 channel video input Support AHD/HDTVI/HDCVI/XVI/IP/analog camera Support 4MP (8fps), 3MP (10fps),1080P(15fps), 1080N,720P (25fps) Recording IP camera support in NVR mode H.264+ /H.264encoding compression 4 CH sync real time playback HDMI (2K), VGA (1920*1080) Support 2 SATA (16TB) & 2*USB 2.0 Support 8/1 Audio I/O, 4/1 alarm, two way talk RS-485, 3G, wifi dongle , RJ45 (100M) Network monitoring by web viewer, VMS,Hi-view, P2P	1,036,000

شماره	مدل	تصویر	خصوصیات	قیمت
14	HW-4016HVR		<p>16 CHANNEL 4MP - 1080P HVR(6 IN 1) Support up to 16 channel video input Support AHD/HDTV/HDCVI/XVI/IP/analog camera Support 4MP (8fps), 3MP(10fps),1080P(15fps), 1080N,720P (25fps) Recording IP camera support in NVR mode H.264+ /H.264encoding compression 8 CH sync real time playback HDMI, VGA (1920*1080p) Support 2 SATA (16TB) & 2*USB 2.0 Support 6/1 Audio I/O, 4/1 alarm I/O, two way talk RS-485, 3G, wifi dongle, RJ45 (100M) Network monitoring by web viewer, VMS, Hi-view, P2P</p>	1,943,000
15	HW-2004HVR		<p>4 CHANNEL 1080N HVR (6 IN 1) Support 4 CH Camera Input Support AHD/HDTV/HDCVI/XVI/IP/analog camera All Channel 1080N Real time Recording IP camera support in NVR mode 4 CH Sync Play back HDMI & VGA Output (1920*1080) Support 1 SATA (Up to 6TB), 2*USB2.0 ports Support 4/1 Audio I/O, Two Way Talk RS-485, RJ45(100M) Network Monitoring by Web Viewer, VMS, Hi-View Mobile Phone,P2P</p>	485,000
16	HW-2008HVR		<p>8 CHANNEL 1080N HVR (6 IN 1) Support 8 CH Camera Input Support AHD/HDTV/HDCVI/XVI/IP/analog camera All Channel 1080N Non-real time Recording IP camera support in NVR mode 8 CH Sync Play back HDMI & VGA Output (1920*1080) Support 1 SATA (Up to 6TB), 2*USB2.0 ports Support 4/1 Audio I/O, Two Way Talk RS-485, RJ45(100M) Network Monitoring by Web Viewer,VMS, Hi-View Mobile Phone, P2P</p>	650,000
17	HW-2016HVR		<p>16 CHANNEL 1080N HVR(6 IN 1) Support 16CH Camera Input Support AHD/HDTV/HDCVI/XVI/IP/analog camera All Channel 1080N Non-real time Recording IP camera support in NVR mode 16 CH Sync Play back HDMI & VGA Output (1920*1080) Support 2 SATA (Up to 12TB) , 2*USB2.0 ports Support 6/1 Audio I/O, 4/1 alarm, I/O Two Way Talk RS-485, RJ45(100M) Network Monitoring by Web Viewer, VMS, Hi-View Mobile Phone, P2P</p>	1,333,000