










ردیف	مدل	تصویر	مشخصات	قیمت (تومان)
1	DH-PSD81602-A360		<p>8x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera            Panoramic: Eight 1/1.9" 2Megapixel progressive scan CMOS            5mm fixed lens            PTZ: One 1/1.9" 2Megapixel progressive scan CMOS            5.5mm~206mm, 37x optical zoom            H.265+/H.265/H.264+/H.264 triple-stream encoding            2x25fps@4096x1800+50/60fps@1080P            Support 360-degree panoramic view            WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Smart tracking            Intelligent Function(Tripwire, Intrusion)            2/1 channel Audio In/Out            7/2 channel Alarm In/Out            RS485            Micro SD memory, IP67, IK10</p>	Call
2	DH-PSD8802-A180		<p>4x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera            Panoramic: Four 1/1.9" 2Megapixel progressive scan CMOS            5mm fixed lens            PTZ: One 1/1.9" 2Megapixel progressive scan CMOS            5.5mm~206mm, 37x optical zoom            H.265+/H.265/H.264+/H.264 triple-stream encoding            25fps@4096x1800+50/60fps@1080P            Support 180-degree panoramic view            WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Smart tracking            Intelligent Function(Tripwire, Intrusion)            2/1 channel Audio In/Out            7/2 channel Alarm In/Out            RS485            Micro SD memory, IP67, IK10</p>	Call
3	IPC-PFW8800-A180		<p>4x2MP Multi-Sensor Panoramic Network IR Bullet Camera            Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264 triple-stream encoding            Max 25fps@4096x1800            3.0mm fixed lens            Support 180-degree panoramic view            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing,            Heat Map, E-PTZ            1/1 channel Audio In/Out            2/2 channel Alarm In/Out            Max. IR LEDs length 30m            Micro SD memory, IP67, IK10,PoE+</p>	Call
4	IPC-PFW8601-A180		<p>3x2MP Multi-Sensor Panoramic Network IR Bullet Camera            Three 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264 triple-stream encoding            Max 25fps@4096x832            3.6mm fixed lens            Support 180-degree panoramic view            WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing,            Heat Map, E-PTZ            1/1 channel Audio In/Out            2/1 channel Alarm In/Out            Max. IR LEDs length 30m            Micro SD memory, IP67, IK10,PoE+</p>	Call
5	DH-IPC-PDBW8800-A180		<p>Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264            Max 25fps@4096x1800            3.0mm fixed lens            Support 180-degree panoramic view            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing,            Heat Map, E-PTZ            1/1 channel Audio In/Out            2/1 channel Alarm In/Out            Max. IR LEDs length 30m            Micro SD memory, IP67, IK10,PoE+</p>	Call


6 DH-IPC-HFW4831TP-ASE  8MP WDR IR Mini Bullet Network Camera  
1/2.5" 8Megapixel progressive scan STARVISTM CMOS  
H. 265&H.264 triple-stream encoding  
15fps@4K(3840x2160),25/30fps@3M(2304x1296)  
Smart Detection supported  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.8mm fixed lens (4mm optional)  
Max. IR LEDs Length 80m  
Micro SD Memory,IP67, IK10, PoE








2,300,000


      

7 DH-IPC-HFW5431EP-ZE  4MP WDR IR Bullet Network Camera  
1/3" 4Megapixel progressive scan CMOS  
H.265&H.264 dual-stream encoding  
25/30fps@4Mp(2688x1520)  
Smart Detection supported  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.7mm ~13.5mm **motorized** lens  
2/1 Alarm in/out, 1/1 audio in/out  
Max. IR LEDs Length 50m  
Micro SD memory, IP67, IK10, PoE








Call


 Pro Series






8 DH-IPC-HFW4631TP-ASE  6MP WDR IR Mini Bullet Network Camera  
1/2.9" 6Megapixel progressive scan STARVIS CMOS  
H. 265&H.264 triple-stream encoding  
20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520)  
Smart Detection supported  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.8mm fixed lens (3.6mm, 6mm optional)  
Max. IR LEDs Length 80m  
Micro SD Memory,IP67,IK10, PoE


2,180,000






9 DH-IPC-HFW2531TP-ZS  5MP WDR IR Bullet Network Camera  
1/2.7" 5Megapixel progressive CMOS  
H.265 & H.264 dual-stream encoding  
15fps@5M(2592x1944)&25/30fps@3M(2304x1296)  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
Micro SD card slot, up to 128GB  
2.7~13.5mm **Motorized** lens  
Max IR LEDs Length 60m  
IP67, PoE+


2,000,000






10 DH-IPC-HFW1531SP-036B  5MP WDR IR Mini-Bullet Camera  
1/2.7" 5Megapixel progressive CMOS  
H.265 & H.264 dual-stream encoding  
15fps@5M(2592x1944) &25/30fps@3M(2304x1296)  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, MS(DSS/PSS) & DMSS  
2.8 mm fixed lens (3.6 mm optional)  
Max IR LEDs Length 30m  
IP67, PoE

1,210,000

11 DH-IPC-HFW4431BP-BAS-H  1/3" 4Megapixel progressive scan CMOS  
3.6mm fixed lens  
Max 20fps@4M(2592x1520) & 25/30fps@3M(2304x1296)  
H.265+/H.265/H.264+/H.264 & MJPEG triple stream encoding  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Smart Detection supported  
Face Detection, Tripwire, Intrusion, Object Abandoned/Missing  
1/1 Alarm in/out, 1/1 audio in/out  
Max. IR LEDs Length 50m  
Mirco SD card 128GB  
IP67, PoE

1,120,000

12 DH-IPC-HFW1320SP



3MP Network IR Mini-Bullet Camera  
1/3" 3Megapixel progressive CMOS  
H.264+ & H.264 dual-stream encoding  
20fps@3M(2048x1536)&25/30fps@1080P(1920x1080)  
DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.8 mm fixed lens (3.6 mm 6mm optional)  
Max IR LEDs Length 30m  
IP67, PoE

770,000

13 DH-IPC-HFW4231EP-S



1/2.8" 2Megapixel progressive scan STARVIS™ CMOS(Starlight)  
3.6mm fixed lens  
50/60fps@1080P(1920x1080)  
H.265+/H.265/H.264+/H.264 triple-stream encoding  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Smart Detection supported:  
Face Detection, Tripwire, Intrusion, Object Abandoned/Missing  
Max. IR LEDs Length 40m  
Micro SD card 128GB  
IP67, PoE

1,490,000

14 DH-IPC-HFW1230SP



1/2.7" 2Megapixel progressive scan CMOS  
H.265+/H.265/H.264+/H.264 dual-stream encoding  
25/30fps@1080P(1920x1080)  
DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  
2.8mm fixed lens  
Max. IR LEDs Length 30m  
IP67, PoE

718,000

15 DH-IPC-HDW4831EMP-ASE



8MP IR Eyeball Network Camera  
1/2.5" 8Megapixel progressive scan STARVIS CMOS  
H.265&H.264 triple-stream encoding  
15fps@4K(3840x2160), 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520)  
Smart detection supported  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.8mm fixed lens (3.6mm optional)  
Built-in Mic  
Max. IR LEDs Length 50m  
Micro SD memory, IP67, PoE

2,300,000

16 DH-IPC-HDBW5431RP-ZE

Pro Series



1/3" 4Megapixel progressive scan CMOS  
H.265&H.264 triple-stream encoding  
25/30fps@4Mp(2688x1520)  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.7mm ~13.5mm Motorized lens  
Max. IR LEDs Length 50m  
IP67, IK10, PoE  
Micro SD card memory

Call

17 DH-IPC-HDW4631EM-ASE



6MP IR Eyeball Network Camera  
1/2.9" 6Megapixel progressive scan STARVIS CMOS  
H.265&H.264 triple-stream encoding  
20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520)  
Smart detection supported  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.8mm fixed lens (3.6mm optional)  
Built-in Mic  
Max. IR LEDs Length 50m  
Micro SD memory, IP67, PoE

2,180,000

18 DH-IPC-HDBW2531RP-ZS



5MP WDR IR Dome Network Camera  
1/2.7" 5Megapixel progressive CMOS  
H.265 & H.264 dual-stream encoding  
15fps@5M(2592x1944)&25/30fps@3M(2304x1296)  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
Micro SD card slot, up to 128GB  
2.7~13.5mm **Motorized** lens  
Max IR LEDs Length 30m  
IP67, IK10, PoE

2,000,000



19 DH-IPC-HDW1531SP-036B



5MP WDR IR Eyeball Network Camera  
1/2.7" 5Megapixel progressive CMOS  
H.265 & H.264 dual-stream encoding  
15fps@5M(2592x1944) & 25/30fps@3M(2304x1296)  
WDR(120dB), Day/Night(ICR), 3DNR, HLC, AGC, BLC  
Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS  
2.8 mm fixed lens (3.6mm optional)  
Max IR LEDs Length 30m  
IP67, PoE

1,210,000



20 DH-IPC-HDW4431EP-AS-H



1/3" 4Megapixel progressive scan CMOS  
3.6mm fixed lens  
Max 20fps@4M(2592x1520) & 25/30fps@3M(2304x1296)  
H.265+/H.265/H.264+/H.264 & MJPEG triple stream encoding  
WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  
Smart Detection supported  
Face Detection, Tripwire, Intrusion, Object Abandoned/Missing  
Built-in Mic  
Max. IR LEDs Length 50m  
Micro SD card 128GB  
IP67, PoE

1,120,000



21 DH-IPC-HDW1230SP



1/2.7" 2Megapixel progressive scan CMOS  
H.265+/H.265/H.264+/H.264 dual-stream encoding  
25/30fps@1080P(1920x1080)  
DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  
2.8mm fixed lens  
Max. IR LEDs Length 30m  
IP67, PoE

718,000



22 DH-SD59230U-HNI



2MP 30x Starlight IR PTZ Network Camera  
1/2.8" Exmor R CMOS  
H.265+/H.265/H.264+/H.264 Encoding  
Max. 50/60fps@1080P, 25/30/50/60fps@720P  
4.5mm~135mm 30x optical zoom  
Max 400°/s pan speed, 360° endless pan rotation  
WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  
Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  
Support Defog and EIS  
Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  
Built-in 2/1 Alarm in/out  
Audio 1/1 in/out  
Support PoE+  
IR Distance up to 150m  
IP66, OSD

9,200,000



23 DH-SD59225U-HNI



2MP 25x Starlight IR PTZ Network Camera  
 1/2.8" 2Megapixel STARVIS™ CMOS  
 Powerful 25x optical zoom  
 Focal Length 4.8mm~120mm  
 1080P(1920×1080)/720P(1280×720)/  
 D1(704×576/704×480)/CIF(352×288/352×240)  
 Starlight technology  
 H.265 Encoding  
 Max. 50/60fps@1080P  
 Auto-tracking and IVS  
 Support PoE+  
 IR distance up to 150m  
 IP66

5,100,000



24 DH-SD49225T-HN



2MP 25x Starlight IR PTZ Network Camera  
 1/2.8" 2Megapixel Starvis  
 Focal Length 4.8mm~120mm  
 1080P(1920×1080)/720P(1280×720)/  
 Frame Rate: D1(704×576/704×480)/CIF(352×288/352×240)  
 Powerful 25x optical zoom  
 Starlight technology  
 Support H.265&H.264 Triple-streams encoding  
 Max. 25/30fps@1080P, 25/30/50/60fps@720P  
 IVS(Optional)  
 Support PoE+  
 IR distance up to 100m  
 IP66

4,800,000



25 DH-IPC-K26P



1080P H.265 Wi-Fi Camera  
 Video Compression : H.265/H.264  
 Up to 25/30fps Frame Rate  
 16x Digital Zoom, Two-way Audio  
 Motion Detection, Human Detection, PIR Detection  
 Configurable region and schedule  
 1 x 100Mbps Ethernet port, Wi-Fi: IEEE802.11b/g/n, 50m open field ,CGI, Easy4ip  
 app: iOS, Android  
 Micro SD Slot (up to 128GB)  
 Built-in Mic & Speaker, Alarm line in/out interface, WPS/Reset button

999,000

26 DHI-NVR2108HS-4KS2



8 Channel Compact 1U Lite 4K H.265 Network Video Recorder  
 H.265/H.264 codec decoding  
 Max 80Mbps incoming bandwidth  
 Up to 8Mp resolution preview&playback  
 Up to 1ch@8MP/4ch@1080P decoding  
 HDMI/VGA simultaneous video output  
 1 SATA III Port, up to 6TB capacity for each HDD  
 USB: 2 ports (1 Rear USB2.0, 1 Front USB2.0)

811,000



27 DH-NVR4108HS-4KS2



8 channel IP camera input  
 1/4/8/9 channel Live Preview  
 8CH Playback  
 H.265/H.264 codec decoding  
 Max 80Mbps incoming bandwidth  
 Up to 8MP Resolution for Preview and Playback  
 HDMI/VGA simultaneous video output  
 Support 1 SATA HDD up to 6TB, 2 USB2.0  
 100 Mbps Network Card  
 P2P support

1,290,000



28 DH-NVR4116HS-4KS2



16 Channel Compact 1U 4K&H.265 Lite Network Video Recorder  
 H.265/H.264 codec decoding  
 Max 80Mbps Incoming Bandwidth  
 Up to 8MP Resolution for Preview and Playback  
 Up to 2ch@4K/8ch@1080P decoding  
 HDMI/VGA simultaneous video output  
 Support 1 SATA HDD up to 6TB, 2 USB2.0  
 100 Mbps Network Card  
 P2P support

1,510,000



29 DH-NVR4216-4KS2



16 channel IP camera input  
16 channel Live Preview  
H.265/H.264 codec decoding  
Max 200Mbps incoming bandwidth  
Up to 8MP Resolution for Preview and Playback  
HDMI/VGA simultaneous video output  
Support 2 SATA HDD up to 6TB  
2 USB Ports (1 USB2.0, 1 USB3.0)  
4 Alarm Input, 2 Relay Output  
1\*10/100/1000Mbps Mbps Network Card  
P2P support

2,460,000

30 DH-NVR4432-4KS2



32 channel IP camera input  
16 channel Live Preview  
H.265/H.264 codec decoding  
Max 200Mbps incoming bandwidth  
Up to 8MP Resolution for Preview and Playback  
HDMI/VGA simultaneous video output  
Support 4 SATA HDD up to 6TB  
2 USB Ports (1 USB2.0, 1 USB3.0)  
16 Alarm Input, 4 Relay Output  
RS232 , RS485  
2\*10/100/1000Mbps Mbps Network Card  
P2P support

3,562,000


31 DH-NVR5432-4KS2



32 channel IPC input  
32 channel Live Preview  
H.265/H.264/MJPEG/MPEG4 codec decoding  
Max 320Mbps incoming bandwidth  
Up to 12Mp resolution preview&playback  
Max 16ch@1080P H.265/H.264 decoding  
2HDMI/VGA simultaneous video output  
Support 4 SATA HDDs up to 24TB, 3 USB(1 USB3.0, 2USB2.0)  
2\*1000 Mbps Network Card  
RS232  
16 Alarm In , 6 Relay Output  
P2P Support

6,145,000

32 DHI-NVR608-32-4KS2



32 Channel Ultra 4K H.265 Network Video Recorder  
Intel Processor  
Max 32 IP Camera Inputs  
Max 384Mbps Incoming Bandwidth  
Up to 12MP Resolution for Preview and Playback  
8SATA Port 8TB Capacity  
Alarm In/Out: 16/8, 2RJ45(10,100,1000 Mbps)  
2HDMI , 1 VGA, 1 eSATA, 4 USB  
Supports RAID 0/1/5/6/10  
Smart Tracking and Intelligent Video

8,865,000

33 DHI-NVR608-64-4KS2



64 Channel Ultra 4K H.265 Network Video Recorder  
Intel Processor  
Max 64/128 IP Camera Inputs  
Max 384Mbps Incoming Bandwidth  
Up to 12MP Resolution for Preview and Playback  
8SATA Port 8TB Capacity  
Alarm In/Out: 16/8, 2RJ45(10,100,1000 Mbps)  
2 HDMI, 1 VGA, 1 eSATA , 4 USB  
Supports RAID 0/1/5/6/10  
Smart Tracking and Intelligent Video

15,100,000

کلیه محصولات با برچسب گارانتی طلایی و کارت گارانتی رسترسرویس ارائه میشود

